Index to Volume XXII

Author Index

ALVARIÑO, ANGELES:
Egg Pouches and Other Reproductive Structures in Pelagic Chaetognatha, 488–492
Two New Calycophorae, Siphonophorae, 340–346

ASHMOLE, MYRTLE J., and N. PHILIP ASHMOLE:
The Use of Food Samples from Sea Birds in the Study of Seasonal Variation in the Surface Fauna of Tropical Oceanic Areas, 1–10

ASHMOLE, N. PHILIP:
see Ashmole and Ashmole

BAKER, GLADYS E.:
see Kenner, Hohl, and Baker

BARNES, I. LYNUS:
see Funkhouser, Barnes, and Naughton

BROCK, VERNON E., and THEODORE C. CHAMBERLAIN:
A Geological and Ecological Reconnaissance off Western Oahu, Hawaii, Principally by Means of the Research Submarine "Asherah," 373–394

CAMPBELL, RICHARD D.:
Host Specificity, Settling, and Metamorphosis of the Two-Tentacled Hydroid *Proboscidactyla flavicirrata*, 336–339

CHAMBERLAIN, THEODORE:
The Littoral Sand Budget, Hawaiian Islands, 161–183
see also Brock and Chamberlain

CHENG, THOMAS C.:
The Compatibility and Incompatibility Concept as Related to Trematodes and Molluscs, 141–160
see also Cheng, Yee, and Rifkin

CHENG, THOMAS C., HERBERT W. F. YEE, and ERIK RIFKIN:
Studies on the Internal Defense Mechanisms of Sponges.
I. The Cell Types Occurring in the Mesoglea of *Terpios zeteki* (de Laubenfels) (Porifera: Demospongiae), 395–401

CHRISTENSEN, NIKOLAS I.:
Compressional Wave Velocities in Basic Rocks, 41–44

FUNKHOUSER, JOHN G., I. LYNUS BARNES, and JOHN J. NAUGHTON:
The Determination of a Series of Ages of Hawaiian Volcanoes by the Potassium-Argon Method, 369–372

GILMARTIN, AMY JEAN:
Baker's Law and Dioecism in the Hawaiian Flora: An Apparent Contradiction, 285–292

GOSLINE, WILLIAM A.:
Considerations Regarding the Evolution of Hawaiian Animals, 267–273

GRICE, GEORGE D., and KUNI HULSEMANN:
Calanoid Copepods from Midwater Trawl Collections Made in the Southeastern Pacific Ocean, 322–335

HAMAMOTO, SUSAN T.:
see Hohl and Hamamoto

HÄNSEL, R.:
Characterization and Physiological Activity of Some *Kawa* Constituents, 293–313

HOHL, HANS-RUDOLF:
see Hohl and Hamamoto
see also Kenner, Hohl, and Baker

HOHL, HANS R., and SUSAN T. HAMAMOTO:
Lamellate Structures in the Nucleolus of the Cellular Slime mold *Acrasis rosea*, 402–407

HOLLENBERG, GEORGE J.:
An Account of the Species of the Red Alga *Herposiphonia* Occurring in the Central and Western Tropical Pacific Ocean, 536–559
An Account of the Species of the Red Alga *Polysiphonia* of the Central and Western Tropical Pacific Ocean
I. Oligosiphonia, 56–98
II. *Polysiphonia*, 198–207

HULSEMANN, KUNI:
see Grice and Hulsemann

IKAWA, HARUYOSHI:
see Sherman and Ikawa

KENNER, DIANA D., HANS-RUDOLF HOHL, and GLADYS E. BAKER:
Preliminary Observations on the Fine Structure of Species of *Micromonospora* (Actinomycetales), 52–55

KINZIE, ROBERT A., III:
The Ecology of the Replacement of *Pseudosquilla ciliata* (Fabricius) by *Gonodactylus falcatus* (Forskål) (Crustacea; Stomatopoda) Recently Introduced into the Hawaiian Islands, 465–475

LAMOUREUX, CHARLES H.:
see Tomich, Wilson, and Lamoureux

LONG, EDWARD R.:
The Associates of Four Species of Marine Sponges of Oregon and Washington, 347–351

MATTHEWS, DONALD C.:
The Folliculinids (Protozoa) of Ago Bay, Japan, and Their Relation to the Epifauna of the Pearl Oyster (*Pinctada martensii*), 232–250

MCCOY, FLOYD W.:
see Stice and McCoy

MCFARLANE, ROBERT W.:
see Sibley and MacFarlane

MCROY, C. PETER:
The Distribution and Biogeography of *Zostera marina* (Eelgrass) in Alaska, 507–513
A Eurasian Alga in Alaska, 138

MORRISON, G. C.:
A Preliminary Phytochemical Survey in the British Solomon Islands, 184–193

MYERS, A. A.:
Some Aoridae (Amphipoda: Gammaridea) Collected by the Hancock Expeditions to the Eastern Pacific, 1931–1941, 497–506

NAKAMURA, ROYDEN:
An Additional Contribution to the Biology of the Aholehole, *Kuhlia sandvicensis* (Steindachner), 493–496

NAUGHTON, JOHN J.:
see Funkhouser, Barnes, and Naughton

PEQUEGNAT, WILLIS E.:
Distribution of Epifaunal Biomass on a Sublittoral Rock-Reef, 37–40

PRUDHOE, STEPHEN:
A New Polyclad Turbellarian Associating with a Hermit Crab in the Hawaiian Islands, 408–411

QUAST, JAY C.:
New Records of Thirteen Cottoid and Blennioid Fishes for Southeastern Alaska, 482–487

REED, EDWARD B.:
The Occurrence of *Cyclops kolensis* Lilljeborg (Copepoda, Cyclopoida) in North America, 251–266

REISH, DONALD J.:
The Polychaetous Annelids of the Marshall Islands, 208–231

RIFKIN, ERIK:
see Cheng, Yee, and Rifkin

ST. JOHN, HAROLD:
Hawaiian Plant Studies 28. *Cyrtandra megistocalyx* (Gesneriaceae), a New Species from Oahu, Hawaiian Islands, 422–424
Revision of the Genus *Pandanus* Stickman
Part 26. *Pandanus mayotteensis* from the Iles Comores, 99–103
Part 27. *Pandanus* novelties from Madagascar, 104–137
Part 28. The Australian Species Published by Robert Brown, 412–421
Part 29. New Papuan Species in the Section *Microstigma* Collected by C. E. Carr, 514–519
Part 30. The New Section *Marginata* from Papua, 520–522
Part 31. Bornean Species Collected by J. Motley, 523–531
Part 32. The New Section *Involuta* from Papua, 532–535

SALMON, MICHAEL, HOWARD E. WINN, and NINO SORGENTE:
Sound Production and Associated Behavior in Triggerfishes, 11–20

SCHROEDER, PAUL C.:
On the Life History of *Nereis grubei* (Kinberg), a Polychaete Annelid from California, 476–481

SHERMAN, G. DONALD, and HARUYOSHI IKAWA:
Soil Sequences in the Hawaiian Islands, 458–464

SIBLEY, FRED C., and ROBERT W. MCFARLANE:
Gulls in the Central Pacific, 314–321

SORGENTE, NINO:
see Salmon, Winn, and Sorgente

SRINIVASAN, V. V.:
Notes on the Distribution of Wood-Boring Teredines in the Tropical Indo-Pacific, 277–280

STICE, GARY D., and FLOYD W. MCCOY:
The Geology of the Manu'a Islands, Samoa, 427–457

STONE, BENJAMIN:
Theophrastaceae, a Family Wrongly Attributed to the Hawaiian Flora, 425

THOMAS, CHARLES W.:
Antarctic Ocean-Floor Fossils: Their Environments and Possible Significance as Indicators of Ice Conditions, 45–51

TOMICH, P. QUENTIN, NIXON WILSON, and CHARLES H. LAMOUREUX:
Ecological Factors on Manana Island, Hawaii, 352–368

TRONO, GAVINO, JR.:
see Tsuda and Trono

TSUDA, ROY T., and GAVINO TRONO, JR.:
Marine Benthic Algae from Howland Island and Baker Island, Central Pacific, 194–197

WELLS, JOHN W.:
Notes on Indo-Pacific Scleractinian Corals, Parts 5 and 6

Part 5. A New Species of *Alveopora* from New Caledonia, 274–275
Part 6. Further Note on *Bantamia merleti* Wells, 276

WILSON, NIXON:
see Tomich, Wilson, and Lamoureux

WINKLER, LINDSAY R.:
A Variant *Aplysia californica*, 139–140

WINN, HOWARD E.:
see Salmon, Winn, and Sorgente

YAMAGUTI, SATYU:
Cestode Parasites of Hawaiian Fishes, 21–36

YEE, HERBERT W. F.:
see Cheng, Yee, and Rifkin

YOCOM, CHARLES F.:
Birds of Haleakala National Park, Maui, Hawaii, 281–284

Subject Index

Acrasis rosea, lamellate structures in nucleolus of, 402–407
ages of Hawaiian volcanoes, 369–372
Alaska, Eurasian alga in, 138
new cottoid and blennioid fishes from, 482–487
Zostera marina in, 507–513
alga, Eurasian, in Alaska, 138
algae, marine benthic, from central Pacific, 194–197
red, of the tropical Pacific, 56–98, 198–207, 536–559
Alveopora, new species from New Caledonia, 274
Amphipoda from eastern Pacific, 497–506
annelids of Marshall Islands, 208–231
Antarctic ocean-floor fossils as indicators of ice conditions, 45–51
Aoridae collected by Hancock Expeditions, 497–506
Aplysia californica, variant, 139–140
associates of marine sponges, 347–351
Australia, *Pandanus* species from, 412–421

Baker Island, marine benthic algae from, 194–197
Baker's Law and dioecism in Hawaiian flora, 285–292
Bantamia merleti Wells, 276
basic rocks, compressional wave velocities in, 41–44
biogeography of *Zostera marina* (eelgrass) in Alaska, 507–513
birds of Haleakala National Park, Maui, 281–284
blennioid fishes, new records of, 482–487
Borneo, *Pandanus* species in, 523–531

calanoid copepods in southeastern Pacific, 322–335
California, *Nereis grubei* from, 476–481
Calycophorae, Siphonophorae, 340–346
cell types in mesoglea of *Terpios zeteki*, 395–401
central Pacific, gulls in, 314–321
cestode parasites of Hawaiian fishes, 21–36
Chaetognatha, pelagic, reproductive structures in, 488–492
characterization of *kawa* constituents, 293–313
compatibility and incompatibility in trematodes and molluscs, 141–160
compressional wave velocities in basic rocks, 41–44
copepods, calanoid, in southeastern Pacific, 322–335
corals, of Indo-Pacific, 274–276
cottoid fishes, new records of, 482–487
Cyclops kolensis in North America, 251–266
Cyrtandra megistocalyx sp. nov., from Hawaii, 422–424

defense mechanisms of sponges, 395–401
dioecism in Hawaiian flora, 285–292
distribution of *Zostera marina* (eelgrass), 507–513

eastern Pacific, Aoridae (Amphipoda) from, 497–506
ecological factors on Manana (Rabbit) Island, Hawaii, 352–368
ecology of replacement of *Pseudosquilla ciliata* by *Gonodactylus falcatus*, 465–475
ecology of sea floor off western Oahu, 373–394
eelgrass, biogeography of, 507–513
egg pouches in pelagic Chaetognatha, 488–492
electron microscope studies of *Acrasis rosea* nucleolus, 402–407
of *Micromonospora* species, 52–55
epifauna of pearl oyster, 232–250
epifaunal biomass, distribution on a sublittoral rock-reef, 37–40
evolution of Hawaiian animals, 267–273

folliculinids of Ago Bay, Japan, 232–250
fossils of Antarctic ocean floor, 45–51

geology of Manu'a Islands, Samoa, 427–457
of sea floor off western Oahu, 373–394
Gonodactylus falcatus replacing *Pseudosquilla ciliata* in Hawaii, 465–475
gulls in central Pacific, 314–321

Haleakala National Park, birds of, 281–284
Hancock Expeditions, some Amphipoda collected by, 497–506
Hawaiian animals, evolution of, 267–273
fishes, cestode parasites of, 21–36
flora, Baker's Law and dioecism in, 285–292
Hawaiian Islands, ecology of *Pseudosquilla ciliata* and *Gonodactylus falcatus* in, 465–475
littoral sand budget of, 161–183
soil sequences in, 458–464
turbellarian associating with hermit crab in, 408–411
hermit crab, turbellarian associate of, 408–411
Herposiphonia species in tropical Pacific, 536–559
host specificity of *Proboscidactyla flavicirrata*, 336–339

Howland Island, marine benthic algae from, 194–197
hydroid, two-tentacled, 336–339

ice conditions in Antarctic, ocean-floor fossils as indicators of, 45–51
Iles Comores, *Pandanus mayotteensis,* 99–103
Indo-Pacific, wood-boring teredines in, 277–280
scleractinian corals from, 274–276

Japan (Ago Bay), folliculinids of, 232–250

kawa constituents, characterization and physiological activity of, 293–313

lamellate structures in nucleolus of a slime mold, 402–407
life history of *Nereis grubei,* 476–481
littoral sand budget, Hawaiian Islands, 161–183

Madagascar, *Pandanus* novelties from, 104–137
Manana Island, Hawaii, ecology of, 352–368
Manu'a Islands, geology of, 427–457
marine sponges, associates of, 347–351
Marshall Islands, polychaetous annelids of, 208–231
metamorphosis of *Proboscidactyla flavicirrata,* 336–339
Micromonospora, fine structure of, 52–55
molluscs and trematodes, compatibility and incompatibility in, 141–160

Nereis grubei, life history of, 476–481
new genera of cestode parasites, 21–36
new records of cottoid and blennioid fishes for Southeastern Alaska, 482–487
new sections of *Pandanus,* 520–522, 532–535
new species of
Aoridae (Amphipoda), 497–506
Calycophorae (Siphonophorae), 340–346
cestode parasites, 21–36
copepods, 322–335
coral, 274
Cyrtandra, 422–424
Pandanus, 99–103, 104–137, 412–421, 514–519, 520–522, 523–531, 532–535
polychaetous annelids, 208–231
polyclad turbellarian, 408–411
red algae, 56–98, 198–207, 536–559
North America, *Cyclops kolensis* in, 251–266
nucleolus of *Acrasis rosea,* 402–407

ocean surface fauna, use of sea bird food in study of, 1–10
Oligosiphonia (*Polysiphonia*) species in tropical Pacific, 56–98

Pandanus, Bornean species, 523–531
new Papuan species, 514–519
new section *Involuta* from Papua, 532–535
new section *Marginata* from Papua, 520–522
novelties from Madagascar, 104–137
from Australia, 412–421
Pandanus mayotteensis from Iles Comores, 99–103
Pandanus, revision of genus, Part 26, 99–103
Part 27, 104–137
Part 28, 412–421
Part 29, 514–519
Part 30, 520–522
Part 31, 523–531
Part 32, 532–535
Papua, new *Pandanus* sections from, 520–522, 532–535
new *Pandanus* species from, 514–519, 520–522, 532–535
physiological activity of *kawa* constituents, 293–313
phytochemical survey in Solomon Islands, 184–193
Pinctada martensii, epifauna of, 232–250
polychaete annelid (*Nereis grubei*) from central California, 476–481
polychaetous annelids of Marshall Islands, 208–231
Polysiphonia species of tropical Pacific, 56–98, 198–207
potassium-argon method, used in determining ages of volcanoes, 369–372
Proboscidactyla flavicirrata, host specificity, settling, and metamorphosis of, 336–339
Pseudosquilla ciliata replaced by *Gonodactylus falcatus* in Hawaii, 465–475

Rabbit (Manana) Island, Hawaii, 352–368
red algae of the tropical Pacific
Herposiphonia, 536–559
Polysiphonia, 56–98, 198–207
reproductive structures in Chaetognatha, 488–492

Samoa, geology of Manu'a Islands, 427–457
sand budget, Hawaiian Islands, 161–183
scleractinian corals from Indo-Pacific, 274–276
sea birds, food samples from, in study of ocean surface fauna, 1–10
settling of *Proboscidactyla flavicirrata,* 336–339
Siphonophorae, new Calycophorae, 340–346
slime mold, cellular, 402–407
soil sequences in Hawaii, 458–464
Solomon Islands, phytochemical survey in, 184–193
sound production in triggerfishes, 11–20
southeastern Pacific, calanoid copepods in, 322–335
sponges, defense mechanisms of, 395–401
marine, associates of, 347–351
sublittoral rock-reef, epifaunal biomass on, 37–40
submarine, use of in study of sea floor, 373–394

teredines, wood-boring, in Indo-Pacific, 277–280
Terpios zeteki, cell types in mesoglea of, 395–401
Theophrastaceae, wrongly attributed to Hawaiian flora, 425
trematodes and molluscs, compatibility and incompatibility in, 141–160
triggerfishes, sound production and associated behavior in, 11–20
tropical Pacific, *Herposiphonia* species of, 536–559
Oligosiphonia species of, 56–98
Polysiphonia species of, 56–98, 198–207
turbellarian, polyclad, associating with hermit crab, 408–411

volcanoes, Hawaiian, ages of, 369–372

Zostera marina in Alaska, 507–513